

2019

Zsafia Pasztor



TREE INVENTORY MAY 2019

Tree Inventory May 2019



Zsafia Pasztor
Certified Horticulturist CPH 2459
Arborist PN-5795A, Tree Risk Assessor Qualified
Landscape Designer; Certified LID Consultant
10 – 108th St. SE
Everett, Washington 98208
425-210-5541
zs.pasztor2011@gmail.com

Dear Mr. Smith,

On May 12th 2019, at your request, I performed a tree identification and evaluation at the address of 755 – 5th Ave NW Issaquah WA.

This report is a summary of my observations and conclusions.

Definition of the assignment

You contacted me because you are considering building on the property and the City of Issaquah requires an evaluation of the existing trees and a report completed by a Tree Risk Assessor Arborist.

As you and I discussed, my assignment was to:

- evaluate the health and condition of the trees at this time
- identify each tree on the site
- write and submit to you a report

Summary of findings

Visiting the site and examining the tree I found that a total of sixteen significant trees are growing on the property. Three more trees are growing on the adjacent properties and their canopy grow over the property. All of the tree form a stand together as their canopies are touching and cover the entire site. Three of the sixteen trees are considered landmark trees because of their size. They are over-mature and their condition is very poor. Their health is declining. The trees are marked onsite. A map, showing their numbers, is below.

Methodology

To evaluate the trees and to prepare the report, I drew upon my 30 years of experience in the field of horticulture, site management, and arboriculture and my formal education in natural resources management, natural habitat ecology, plant identification, and plant physiology. I also followed the protocol of the International Society of Arboriculture (ISA) for Visual and Level 2 Assessment (VA and L2) that includes looking at the overall health of the tree as well as the site conditions. This is a scientifically based process to look at the entire site, surrounding landscape and soil, as well as a complete look at the trees themselves.

Tree Inventory May 2019

In examining the trees, I looked at such factors as: size, vigor, canopy and foliage condition, density of leaves, injury, insect activity, root damage and root collar health, crown health, evidence of disease-causing bacteria, fungi or virus, dead wood and hanging limbs.

Field Data

#	Scientific	Common	DBH "	Drip radius '	Critical Root Zone CRZ '	Condition	Notes
1	<i>Pseudotsuga menziesii</i>	Douglas Fir	20	18	14	Fair	Neighboring property
2	<i>Pseudotsuga menziesii</i>	Douglas Fir	20	18	14	Fair	Neighboring property
3	<i>Pseudotsuga menziesii</i>	Douglas Fir	12	10	8	Fair	
4	<i>Pseudotsuga menziesii</i>	Douglas Fir	18	15	13	Fair	
5	<i>Pseudotsuga menziesii</i>	Douglas Fir	14	8	8.5	Fair	
6	<i>Pseudotsuga menziesii</i>	Douglas Fir	8	6	6	Fair	
7	<i>Pseudotsuga menziesii</i>	Douglas Fir	12	10	8	Fair	
8	<i>Pseudotsuga menziesii</i>	Douglas Fir	20	18	14	Fair	
9	<i>Pseudotsuga menziesii</i>	Douglas Fir	12	10	8	Fair	
10	<i>Pseudotsuga menziesii</i>	Douglas Fir	12	10	8	Fair	
11	<i>Pseudotsuga menziesii</i>	Douglas Fir	14	8	8.5	Fair	
12	<i>Robinia pseudoacacia</i>	Black Locust	46	28	29	Very poor	Showing some dieback in the canopy, decay near the base at the crutch point, bark discoloration
13	<i>Robinia pseudoacacia</i>	Black Locust	22	20	15	Very poor	Showing some dieback in the canopy, decay near the base at the crutch point, bark discoloration
14	<i>Robinia pseudoacacia</i>	Black Locust	60	35	42	Very poor	Showing some dieback in the canopy, decay near the base at the

Tree Inventory May 2019

							crutch point, bark discoloration
15	<i>Robinia pseudoacacia</i>	Black Locust	26	25	18	Very poor	Showing some dieback in the canopy, decay near the base at the crutch point, and rotted out on the S side of the trunk with large sections fallen away
16	<i>Robinia pseudoacacia</i>	Black Locust	54	30	36	Very poor	Showing some dieback in the canopy, decay near the base at the crutch point, bark discoloration
17	<i>Pseudotsuga menziesii</i>	Douglas Fir	14	8	8.5	Fair	
18	<i>Pseudotsuga menziesii</i>	Douglas Fir	8	6	6	Fair	
19	<i>Pseudotsuga menziesii</i>	Douglas Fir	20	18	14	Fair	Neighboring property
Total			352				Sum of all the DBH measurements onsite, not calculating the neighboring trees
25%			88				The recommended minimum retention percentage of the existing DBH as prescribed by the city

The trees to be preserved should be surrounded with a 5' tall temporary chain link fence prior to the start of construction. The area enclosed by the fence should be off limits to all construction related activities, including, but not limited to parking, staging, storage, equipment clean out, porter potty, break area, etc. All landscaping work within this area should be done by hand with hand held tools.


A sign, legible from 15 feet, should be placed on the fence stating the area is tree protection area.

Tree Inventory May 2019

If roots 2" or larger are damaged on accident, they should be recut with a disinfected clean saw and the root should be covered with moist burlap or wet soil to prevent drying out.


Due to the condition of the Locust trees, I recommend their removal and not trying to retain them. Tree retention is possible if a Douglas Fir group is selected. Even though the city code limits what work can take place within the dripline of a tree, based on the latest information presented through the International Society of Arboriculture (ISA), careful minimized grading is possible within driplines if overseen by an arborist. It is however crucial that the CRZ Critical Root Zone is observed.

CRZ is calculated using the DBH (diameter-at-breast-height) of each tree. Each DBH inch translates to a foot of root zone, TPZ or Tree Protection Zone, radius around the tree, which often results in larger zones than the dripline. This is because as trees grow near each other or are pruned over the years, driplines don't reflect the development of trees correctly. CRZ is 70% of the TPZ. Most trees can recover from a root disturbing event which affects no more than 30% of the root zone. The CRZ for each tree on the site is marked in the table above. This is the minimum distance the tree protection fencing should be placed from the trunk if the tree is preserved.




The map shows the location of each tree evaluated.

Tree Inventory May 2019



The above map is showing the proposed site plan.



The trees on the site



The Robinia trees have extensive decay in their trunks.

Tree Inventory May 2019

Waiver of Liability

There are many conditions affecting a tree's health and stability, which may be present and cannot be ascertained, such as, root rot, previous or unexposed construction damage, internal cracks, stem rot and more which may be hidden. Changes in circumstances and conditions can also cause a rapid deterioration of a tree's health and stability. Adverse weather conditions can dramatically affect the health and safety of a tree in a very short amount of time.

While I have used every reasonable means to examine these trees, this evaluation represents my opinion of the tree health at this point in time. These findings do not guarantee future safety nor are they predictions of future events.


The tree evaluation consists of an external visual inspection of an individual tree's root flare, trunk, and canopy from the ground only unless otherwise specified. The inspection may also consist of taking trunk or root soundings for sound comparisons to aid the evaluator in determining the possible extent of decay within a tree. Soundings are only an aid to the evaluation process and do not replace the use of other more sophisticated diagnostic tools for determining the extent of decay within a tree.

As conditions change, it is the responsibility of the property owners to schedule additional site visits by the necessary professionals to ensure that the long-term success of the project is ensured. It is the responsibility of the property owner to obtain all required permits from city, county, state, or federal agencies. It is the responsibility of the property owner to comply with all applicable laws, regulations, and permit conditions. If there is a homeowners association, it is the responsibility of the property owner to comply with all Codes, Covenants, and Restrictions (CC&R's) that apply to tree pruning and tree removal.

This tree evaluation is to be used to inform and guide the client in the management of their trees. This in no way implies that the evaluator is responsible for performing recommended actions or using other methods or tools to further determine the extent of internal tree problems without written authorization from the client. Furthermore, the evaluator in no way holds that the opinions and recommendations are the only actions required to insure that the tree will not fail. A second maybe sought if client feels it's necessary. The client shall hold the evaluator harmless for any and all injuries or damages incurred if the tree examined fails for any reason or if the evaluator's recommendations are not followed or for acts of nature beyond the evaluator's reasonable expectations, such as severe winds, excessive rains, heavy snow loads, etc.

Should you have any questions or concerns, or if I may be of further assistance, please call.

Sincerely,



Zsafia Pasztor;

Certified Horticulturist Cert. # 2459

Certified Arborist Cert. # PN5795A;

Certified Tree Risk Assessor TRAQ

Certified LID Consultant and Designer

Landscape Designer and Construction Consultant

ATTACHMENT 1 – GLOSSARY

Terms Used in This Report, on the Tree Condition and Their Significance

In an effort to clearly present the information for each tree in a manner that facilitates the reader's ability to understand the conclusions I have drawn for each tree, I have collected the information in a report format. This report was developed by Zsofia Pasztor and it is based upon the *Tree Risk Assessment in Urban Areas and the Urban/Rural Interface* course manual and the *Tree Risk Assessment Form*, both sponsored by the International Society of Arboriculture, and the *Hazard Tree Evaluation Form* from the book, *The Evaluation of Hazard Trees in Urban Areas*, by Matheny and Clarke. The descriptions were left brief in the report in an effort to include as much pertinent information as possible, to make the report manageable, and to avoid boring the reader with infinite levels of detail. However, a review of these terms and descriptions will allow the reader to rapidly move through the report and understand the information.

- 1) **TREE LOCATION**--indicates what general area of the site the tree is on, or whether the tree is Off the Project property.
- 2) **TREE #**—the individual number of each tree.
- 3) **SPECIES**—this describes the species of each tree with both most readily accepted common name and the officially accepted scientific name.
- 4) **DBH**—Diameter-at-Breast-Height. This is the standard measurement of trees taken at 4.5 feet above the average ground level of the tree base.
 - i) Occasionally it is not practical to measure a tree at 4.5 feet above the ground. The most representative area of the trunk near 4.5 feet is then measured and noted on the spreadsheet. For instance, a tree that forks at 4.5 feet can have an unusually large swelling at that point. The measurement is taken below the swelling and noted as, '28.4" at 36"'.
 - ii) Trees with multiple stems are listed as a "clump of x," with x being the number of trunks in the clump. Measurements may be given as an average of all the trunks, or individual measurements for each trunk may be listed.
 - iii) Every effort is made to distinguish between a single tree with multiple stems and several trees growing close together at the bases.
- 5) **DRIP LINE**—the radius, the distance from the trunk to the furthest branch tips (sometimes the average of these measurements around the tree).
- 6) **% LCR**—Percentage of Live Crown Ratio: the relative proportion of green crown to overall tree height. This is an important indication of a tree's health. If a tree has a high percentage of Live Crown Ratio, it is likely producing enough photosynthetic activity to support the tree. If a tree has less than 30 to 40% LCR it can create a shortage of needed energy and can indicate poor health and vigor.

Tree Inventory May 2019

7) **SYMMETRY**—is the description of the form of the canopy. That is, the balance or overall shape of the canopy and crown. This is the place I list any major defects in the tree shape—does the tree have all its foliage on one side or in one unusual area. Symmetry can be important if there are additional defects in the tree such as rot pockets, cracks, loose roots, weak crown etc. Symmetry is generally categorized as Generally Symmetrical, Minor Asymmetry or Major Asymmetry:

- i) Gen. Sym.—Generally Symmetrical. The canopy/foliage is generally even on all sides with spacing of scaffold branches typical for the species, both vertically and radially.
- ii) Min. Asym.—Minor Asymmetry. The canopy/foliage has a slightly irregular shape with more weight on one side but appears to be no problem for the tree.
- iii) Maj. Asym.—Major Asymmetry. The canopy/foliage has a highly irregular shape for the species with the majority of the weight on one side of the tree. This can have a significant impact on the tree's stability, health and hazard potential—especially if other defects are noted such as cracks, rot, root defects.

8) **FOLIAGE/BRANCH**—describes the foliage of the tree in relation to a perfect specimen of that particular species. First the branch growth and foliage density is described, and then any signs or symptoms of stress and/or disease are noted. The condition of the foliage, or the branches and buds for deciduous trees in the dormant season, are important indications of a tree's health and vigor.

i) For Deciduous trees in the dormant season:

- The structure of the tree is visible,
- The quantity and quality of buds indicates health, and is described as good bud set, average bud set, or poor bud set. These are abbreviated in the spreadsheet as: gbs, abs, or pbs.
- The amount of annual shoot elongation is visible and is another major
- indication of tree health and vigor. This is described as:
 - a) Excellent, Good, Average, or Short Shoot Elongation. These are abbreviated in the spreadsheet as ESE, GSE, ASE, OR SSE.

ii) For evergreen trees year round and deciduous trees in leaf, the color and density of the foliage indicates if the tree is healthy or stressed, or if an insect infestation, a bacterial, fungal, or viral infection is present. Foliage is categorized on a scale from:

- Dense—extremely thick foliage, an indication of healthy vigorous
- growth,
- Good—thick foliage, thicker than average for the species,
- Normal/Average—thick foliage, average for the species, an indication
- of healthy growth,
- Thin or Thinning—needles and leaves becoming less dense so that
- sunlight readily passes through; an indication that the tree is under
- serious stress that could impact the long-term survivability and safety
- of the tree,
- Sparse—few leaves or needles on the twigs, an indication that the tree
- is under extreme stress and could indicate the future death of the tree
- Necrosis—the presence of dead twigs and branchlets. This is another
- significant indication of tree health. A few dead twigs and branches
- are reasonably typical in most trees of size. However, if there are dead

Tree Inventory May 2019

- twigs and branchlets all over a certain portion of the tree, or all over
- the tree, these are indications of stress or attack that can have an
- impact on the tree's long-term health.
- Hangers—a term to describe a large branch or limb that has broken off
- but is still hanging up in the tree. These can be particularly dangerous
- in adverse weather conditions.

9) **CROWN CONDITION**—the crown is uppermost portion of the tree, generally considered the top 10 to 20% of the canopy or that part of the canopy above the main trunk in deciduous trees and above the secondary bark in evergreen trees.

i) The condition of the tree's crown is a reflection of the overall health and vigor of the entire tree. The crown is one of the first places a tree will demonstrate stress and pathogenic attack such as root rot.

ii) If the **Crown Condition** is healthy and strong, this is a good sign. If the crown condition is weak, broken out, or shows other signs of decline, it is an indication that the tree is under stress. It is such an important indication of health and vigor that this is the first place a trained forester or arborist looks to begin the evaluation of a tree. Current research reveals that, by the time trees with root rot show significant signs of decline in the crown, fully 50% or more of the roots have already rotted away. **Crown Condition** can be described as:

- Healthy Crown—exceptional growth for the species.
- Average Crown—typical for the species.
- Weak Crown—thin spindly growth with thin or sparse needles.
- Flagging Crown—describes a tree crown that is weak and unable to
- grow straight up.
- Dying Crown—describes obvious decline that is nearing death.
- Dead Crown—the crown has died due to pathological or physical
- injury. The tree is considered to have significant stress and/or
- weakness if the crown is dead.
- Broken out—a formerly weak crown condition that has been broken
- off by adverse weather conditions or other mechanical means.
- Regenerated or Regenerating—formerly broken out crowns that are
- now growing back, Regenerating crowns may appear healthy, average,
- or weak and indicate current health of the tree.
- Suppressed—a term used to describe poor condition of an entire tree
- or just the crown. Suppressed crowns are those that are entirely below
- the general level of the canopy of surrounding trees which receive no
- direct sunlight. They are generally in poor health and vigor.
- Suppressed trees are generally trees that are smaller and growing in the
- shade of larger trees around them. They generally have thin or sparse
- needles, weak or missing crowns, and are prone to insect attack as well
- as bacterial and fungal infections.

10) **TRUNK**—this is the area to note any defects that can have an impact on the tree's stability or hazard potential. Typical things noted are:

Tree Inventory May 2019

- i) **FORKED**—bifurcation of branches or trunks that often occur at a narrow angle.
 - ii) **INCLUDED BARK**—a pattern of development at branch or trunk junctions where bark is turned inward rather than pushed out. This can be a serious structural defect in a tree that can and often does lead to failure of one or more of the branches or trunks especially during severe adverse weather conditions.
 - iii) **EPICORMIC GROWTH**—this is generally seen as dense thick growth near the trunk of a tree. Although this looks like a healthy condition, it is in fact the opposite. Trees with Epicormic Growth have used their reserve stores of energy in a last ditch effort to produce enough additional photosynthetic surface area to produce more sugars, starches and carbohydrates to support the continued growth of the tree. Generally speaking, when conifers in the Pacific Northwest exhibit heavy amounts of Epicormic Growth, they are not producing enough food to support their current mass and are already in serious decline.
 - iv) **INTERNAL STRUCTURAL WEAKNESS**—a physical characteristic of the tree trunk, such as a **kink, crack, rot pocket, or rot column** that predisposes the tree trunk to failure at the point of greatest weakness.
 - v) **BOWED**—a gradual curve of the trunk. This can indicate an Internal Structural Weakness or an overall weak tree. It can also indicate slow movement of soils or historic damage of the tree that has been corrected by the curved growth.
 - vi) **KINKED**—a sharp angle in the tree trunk that indicates that the normal growth pattern is disrupted. Generally this means that the internal fibers and annual rings are weaker than straight trunks and prone to failure, especially in adverse weather conditions.
 - vii) **GROUND FLOWER**—an area of deformed bark near the base of a tree trunk that indicates long-term root rot.
- 11) **ROOT COLLAR**—this is the area where the trunk enters the soil and the buttress roots flare out away from the trunk into the soil. It is here that signs of rot, decay, insect infestation, or fungal or bacterial infection are noted. **NAD** stands for **No Apparent Defects**.
- 12) **ROOTS**—any abnormalities such as girdling roots, roots that wrap around the tree itself that strangle the cambium layer and kill the tree, are noted here.
- 13) **COMMENTS**—this is the area to note any additional information that would not fit in the previous boxes or attributes about the tree that have bearing on the health and structure of the tree.
- 14) **CURRENT HEALTH RATING**—A description of the tree's general health ranging from dead, dying, poor, senescent, suppressed, fair, good, very good, to excellent.
- 15) **PNW-ISA TREE RISK ASSESSMENT RATINGS FOR HAZARD POTENTIAL**--The Pacific Northwest Chapter of the International Society of Arboriculture now certifies arborists as *Certified Tree Risk Assessors* using an adjusted scale Low to Extreme. They are:
- i) **TARGET RATING**--A scale of zero to three points depending upon the amount of use within the range of the tree and the amount of injury or damage that might occur if the tree or component part does fail. Target is both the level of use and the quality/value of the target combined with the foreseeable amount of injury or damage that will likely occur should the tree or component part fail.

Tree Inventory May 2019

- 0 Points, no target. **No Hazard.**
- 1 Point, Low human use is rare and random for short periods of time and/or low target value. (country roads, long-term or overflow parking, remote parks, wilderness trails)
- 2 Points, Moderate human use less than 50% time, occasional (any given time) and/or moderate target value. (picnic areas, camping areas, minor rural roads, moderate use trails)
- 3 Points, Moderately high human use more than 50% of the time, frequent or high value target and/or moderate target value. (bus stops, roads, parking areas, most rarely used vacation homes, playgrounds, etc.)
- 4 Points, High or constant human use and/or high target value. (Schools, hospitals, residential and family homes, utilities, visitor centers, emergency access roads and stations)

ii) **SIZE OF PART--** The larger the tree or component part that fails, the greater the potential for injury or damage.

iii) **PROBABILITY OF FAILURE--** This component ranks the likelihood that the observed defect(s) will fail in a reasonable amount of time in the foreseeable future. The probability of failure automatically has associated with it threshold of action recommended to reduce or minimize the potential failure and associated injuries or damages that might occur.

iiii) **CONSEQUENCES**

16) **ISA HAZARD or RISK RATING--** The combined component ratings used within a specific Matrix.

17) **RECOMMENDATION—** this is an estimate of whether or not the tree is of sufficient health, vigor, and structure that it is worth retaining. Specific recommendations for each tree are included in this column. They may include anything from pruning dead wood, mulching, aerating, injecting tree-based fertilizer into the root system, shortening into a habitat tree or wildlife snag, or to completely removing the tree.

i) **Monitor:** “Monitor” is a specific recommendation that the tree be reevaluated on a routine basis to determine if there are any significant changes in health or structural stability. “Monitor annually” (or bi-annually, triannually, etc.)” means the tree should be looked at once every year (or every 2 or 3 years, etc.) This yearly monitoring can be a quick look at the trees to see if there are any significant changes. Significant changes such as storm damage, loss of crown, partial failure of one or more roots, etc. require that a full evaluation be done of the tree at that time.

ATTACHMENT 2– REFERENCES

1. Dunster, Dr. Julian A., R.P.F., M.C.I.P. *Interpreting Resistograph Readings, A Manual for Users of the Resistograph Decay Detection Instrument*. Bowen Island, Canada: Dunster & Associates, 2000.
2. Eric Allen, et al. *Common Tree Diseases of British Columbia*. Victoria: Canadian Forest Service, 1996.
3. Harris, Richard W. et al. *Arboriculture, Integrated Management of Landscape Trees, Shrubs, and Vines*. 4th ed. Upper Saddle River: Prentice Hall, 2004.
4. Matheny, Nelda P. and Clark, James R. *Evaluation of Hazard Trees*. 2nd ed. Savoy: The International Society of Arboriculture Press, 1994
5. Mattheck, Claus and Breloer, Helge. *The Body Language of Trees, A Handbook for Failure Analysis*. London: HMSO, 1994.
6. Pacific Northwest Chapter-ISA. *Tree Risk Assessment in Urban Areas and the Urban/Rural Interface*. Course Manual. Release 1.5. PNW-ISA: Silverton, Oregon, 2012.
7. Robert Van Pelt *Champion Trees of Washington State* University of Washington 1996
8. City of Seattle *Director's Rule 16-2008*
9. Arthur Lee Jacobson *Trees of Seattle* Second Edition Seattle, Washington 2006
10. Edward F. Gilman *An Illustrated Guide to Pruning* Third Edition Delmar 2012
11. May Teilgaard Watts; Tom Watts *Winter Tree Finder* Nature Study Guild Publ. NY 1970
12. Bob Doppelt, Mary Scurlock, Chris Frissell, James Karr *Entering The Watershed* Pacific River Council Washington DC, 1993
13. Rodney W. Tyler *Winning The Organics Game* ASHS Press VA 1996
14. US Dept. of Transportation Federal Highway Administration *Roadside Revegetation: An Integrated Approach to Establishing Native Plants* 2007
15. Matheny and Clark in *Trees and Development: A Technical Guide to Preservation of Trees during Land Development* (Harris 1992, Helliwell 1985)
16. *Guide to Plant Appraisal, 9th Edition*, written by the Council of Tree and Landscape Appraisers.